

415030

Technical Specification

truSmart Troffer Panel 600x600 26W 4000K White



Product Information

Product Group	truSmart
Description	truSmart Troffer Panel 600x600 26W 4000K White
Product Name	Smart Panel
Product Colour	White
Warranty	5 Years

General Information

IP Rating	IP20
Operating Temperature	-0°C - +40°C
Beam Angle	120 Degree
Body Material	Steel
Diffuser Material	Polycarbonate
Mounting Type	Recessed

415030

Technical Specification

Control Type Bluetooth

App Available Yes

LED Information

LED Type SMD

Lumen Output +/- 10% 3380lm

Lumens Per Circuit Watt 130Lm/W

LED Lifetime L70 50,000 Hours

CCT 4000K

CRI >80

Electrical Information

Circuit Wattage 26W

Class Class I

Connection Type Terminal Block

Driver Information

Driver Brand Lumineux

Dimming Wireless

Input Voltage 100 - 240V AC

Operating Frequency 50 - 60Hz

Power Factor >0.95

Flicker Free Yes

415030

Technical Specification

Sensor Information

Sensor Type	PIR
Mounting Height MAX	3M
Hold Time	1 Min - Infinite
Stand-by Level	0 - 100%
Stand-by Delay	0 Min - Infinite
Detection Area	6M
Daylight Sensor	App Controlled
Wireless Grouping	Yes

Shipping Information

Product Weight	3.84Kg
Barcode	5055379529473

Certification


Manufactured in Accordance to	BS EN 60598-1
CE Marked	Yes

Product Dimensions

(A)	595mm
(B)	595mm
(C)	72mm

415030

Technical Specification



Datasheet generated by <https://www.onetimepim.com>, last updated: Thursday, 09 January 2020 14:26:38