

#### Netherton Linear Highbay 240W 5000K Black 402 Optic



## **Product Information**

| Product Group  | Netherton                                           |
|----------------|-----------------------------------------------------|
| Description    | Netherton Linear Highbay 240W 5000K Black 402 Optic |
| Product Name   | Linear Highbay                                      |
| Product Colour | Black                                               |
| Warranty       | 5 Years                                             |

## **General Information**

| IP Rating             | IP65          |
|-----------------------|---------------|
| IK Rating             | IK08          |
| Operating Temperature | -30°C - +45°C |
| Beam Angle            | 60x90 Degree  |
| Optic                 | 402           |
| Body Material         | Aluminium     |





## 430054-402

## **Technical Specification**

| Diffuser Material | Polycarbonate    |
|-------------------|------------------|
| Mounting Type     | Suspension Cable |
| Optional Bracket  | Ceiling Mount    |

### **LED Information**

| LED Type                | SMD          |
|-------------------------|--------------|
| LED Manufacturer        | Refond       |
| Lumen Output +/- 10%    | 30282lm      |
| Lumens Per Circuit Watt | 130Lm/W      |
| LED Lifetime L70        | 50,000 Hours |
| ССТ                     | 5000K        |
| CRI                     | >80          |

### **Electrical Information**

| Class           | Class I |
|-----------------|---------|
| Circuit Wattage | 238.9W  |
| Cable Length    | 1.5M    |

#### **Driver Information**

| Driver Brand        | Sosen         |
|---------------------|---------------|
| Input Voltage       | 100 - 240V AC |
| Operating Frequency | 50 - 60Hz     |
| Power Factor        | >0.95         |





# **Shipping Information**

| Product Weight       | 6.9Kg         |
|----------------------|---------------|
| Qty Per Outer Carton | 1             |
| Packaged Weight ea.  | 8.0Kg         |
| Barcode              | 5055379536174 |

## Certification

| Manufactured in Accordance to | BS EN 60598-1 |
|-------------------------------|---------------|
| CE Marked                     | Yes           |

## **Product Dimensions**


| (C) | 102mm  |
|-----|--------|
| (A) | 137mm  |
| (B) | 1178mm |





## 430054-402

## **Technical Specification**



Datasheet generated by https://www.onetimepim.com, last updated: Tuesday, 07 January 2020 10:59:18

